ELSEVIER

Brain Research 744 (1997) 358–360

BRAIN RESEARCH

Author Index

Abrous, D.N., Montaron, M.F., Petry, K.G., Rougon, G., Darnaudéry, M., Le Moal, M. and Mayo, W.
Decrease in highly polysialylated neuronal cell adhesion molecules and in spatial learning during ageing are not correlated (744) 285
Albers, H.E., see Bamshad, M. (744) 15
Aluigi, G., see Ninfali, P. (744) 138
Arendt-Nielsen, L., see Graven-Nielsen, T. (744) 121
Atrens, D.M., see Lin, H.Q. (744) 351

Bacon, S.J., see Gabbott, P.L.A. (744) 179
Balduini, W., see Ninfali, P. (744) 138
Bamshad, M., Karom, M., Pallier, P. and Albers, H.E.
Role of the central amygdala in social communication in Syrian hamsters (*Mesocricetus auratus*) (744) 15
Bartol, I., Skorupa, A.L., Scialfa, J.H. and Cipolla-Neto, J.
Pineal metabolic reaction to retinal photostimulation in ganglionectomized rats (744) 77
Başkaya, M.K., Rao, A.M., Doğan, A., Donaldson, D., Gellin, G. and Dempsey, R.J.
Regional brain polyamine levels in permanent focal cerebral ischemia (744) 302
Ben-Ari, Y., see Popovici, T. (744) 185
Bernstein, S.L., Borst, D.E. and Wong, P.
Region specific mitochondrial gene expression in the human retina (744) 143
Borst, D.E., see Bernstein, S.L. (744) 143
Bouysset, F., see Vayssettes-Courchay, C. (744) 272
Brown, E.M., see Rogers, K.V. (744) 47
Butler, L., see Sanderson, K.L. (744) 7
Buxton, D.F., see Josephson, E. (744) 253
Buzdon, M., see Sullivan, K.A. (744) 199

Cassella, J.P., Lawrenson, J.G., Lawrence, L. and Firth, J.A.
Differential distribution of an endothelial barrier antigen between the pial and cortical microvessels of the rat (744) 335
Celnik, E., see McCall, A.L. (744) 318
Charriaut-Marlangue, C., see Popovici, T. (744) 185
Charron, M.J., see McCall, A.L. (744) 318
Chopp, M., see Zhang, Z. (744) 189
Christie, M.D.J., see Lin, H.Q. (744) 351
Cipolla-Neto, J., see Bartol, I. (744) 77
Contreras, R.J., see Lundy, Jr., R.F. (744) 309
Crespo, D., see Megías, M. (744) 112

Danbolt, N.C., see Lehre, K.P. (744) 129
Darnaudéry, M., see Abrous, D.N. (744) 285
Dash, R., see Maecker, H. (744) 166
Davanger, S., see Lehre, K.P. (744) 129
Dempsey, R.J., see Başkaya, M.K. (744) 302
Desai, A., see Maecker, H. (744) 166
Doğan, A., see Başkaya, M.K. (744) 302
Donaldson, D., see Başkaya, M.K. (744) 302
Drucker-Colín, R., see Durán-Vázquez, A. (744) 171
Dunn, C.K., see Rogers, K.V. (744) 47
Durán-Vázquez, A. and Drucker-Colín, R.
Differential role of dopamine receptors on motor asymmetries of nigro-striatal lesioned animals that are REM sleep deprived (744) 171

Ellinwood, E.H., see Lee, T.H. (744) 293

Feldman, E.L., see Sullivan, K.A. (744) 199
Fernández-Viadero, C., see Megías, M. (744) 112
Firth, J.A., see Cassella, J.P. (744) 335
Fleetwood-Walker, S.M., see Heppenstall, P.A. (744) 235
Fujii, K., see Sadoshima, S. (744) 246
Fujishima, M., see Sadoshima, S. (744) 246

Gabbott, P.L.A. and Bacon, S.J.
Vasoactive intestinal polypeptide containing neurones in monkey medial prefrontal cortex (mPFC): colocalisation with calretinin (744) 179
Gao, W.-Y., see Lee, T.H. (744) 293
Garyfallou, V.T., see Urbanski, H.F. (744) 96
Gellin, G., see Başkaya, M.K. (744) 302
Goiny, M., see Meana, J.J. (744) 216
Graven-Nielsen, T., Arendt-Nielsen, L., Svensson, P. and Jensen, T.S.
Stimulus–response functions in areas with experimentally induced referred muscle pain — a psychophysical study (744) 121

Han Hsu, H., see Hawkinson, J.E. (744) 227
Hanke, J., Willig, A., Yinon, U. and Jaros, P.P.
Delta and kappa opioid receptors in eyestalk ganglia of a crustacean (744) 279
Hawkinson, J.E., Huber, K.R., Sahota, P.S., Han Hsu, H., Weber, E. and Whitehouse, M.J.
The *N*-methyl-D-aspartate (NMDA) receptor glycine site antagonist ACEA 1021 does not produce pathological changes in rat brain (744) 227
Healy, D.P., see Song, L. (744) 1
Hebert, S.C., see Rogers, K.V. (744) 47
Heppenstall, P.A. and Fleetwood-Walker, S.M.
The glycine site of the NMDA receptor contributes to neurokinin$_1$ receptor agonist facilitation of NMDA receptor agonist-evoked activity in rat dorsal horn neurons (744) 235
Herrera-Marschitz, M., see Meana, J.J. (744) 216
Hess, D.L., see Urbanski, H.F. (744) 96
Hömberg, V., see Ziemann, U. (744) 32
Huang, L., see McCall, A.L. (744) 318
Huber, K.R., see Hawkinson, J.E. (744) 227

Ibayashi, S., see Sadoshima, S. (744) 246
Ikeda, H., see Suzuki, T. (744) 327
Ingram, V.M., see Sanderson, K.L. (744) 7
Inubushi, T., see Ono, Y. (744) 207
Isokawa, M.
Preservation of dendrites with the presence of reorganized mossy fiber collaterals in hippocampal dentate granule cells in patients with temporal lobe epilepsy (744) 339

Jackson, D.M., see Lin, H.Q. (744) 351
Jaros, P.P., see Hanke, J. (744) 279
Jensen, T.S., see Graven-Nielsen, T. (744) 121
Jiwa, D., see Nobrega, J.N. (744) 161
Josephson, E., Padgett, M.L. and Buxton, D.F.
The lateral and medial compartments of the olfactory tubercle and their relation to olfactory-related input as determined by artificial neural network analysis (744) 253

Karhu, J., see Tesche, C.D. (744) 23
Karom, M., see Bamshad, M. (744) 15
Kasai, T., Kawai, S., Kawanishi, M. and Yahagi, S.
Evidence for facilitation of motor evoked potentials (MEPs) induced by motor imagery (744) 147
Kawahara, S., see Tomita, A. (744) 344
Kawai, S., see Kasai, T. (744) 147
Kawanishi, M., see Kasai, T. (744) 147
Kenagy, J., VanCleave, J., Pazdernik, L. and Orr, J.A.
Stimulation of group III and IV afferent nerves from the hindlimb by thromboxane A_2 (744) 175
Kharazia, V.N., Petrusz, P., Usunoff, K., Weinberg, R.J. and Rustioni, A.
Arginine and NADPH diaphorase in the rat ventroposterior thalamic nucleus (744) 151

ELSEVIER

Brain Research 744 (1997) 358–360

BRAIN RESEARCH

Author Index

Abrous, D.N., Montaron, M.F., Petry, K.G., Rougon, G., Darnaudéry, M., Le Moal, M. and Mayo, W.
Decrease in highly polysialylated neuronal cell adhesion molecules and in spatial learning during ageing are not correlated (744) 285
Albers, H.E., see Bamshad, M. (744) 15
Aluigi, G., see Ninfali, P. (744) 138
Arendt-Nielsen, L., see Graven-Nielsen, T. (744) 121
Atrens, D.M., see Lin, H.Q. (744) 351

Bacon, S.J., see Gabbott, P.L.A. (744) 179
Balduini, W., see Ninfali, P. (744) 138
Bamshad, M., Karom, M., Pallier, P. and Albers, H.E.
Role of the central amygdala in social communication in Syrian hamsters (*Mesocricetus auratus*) (744) 15
Bartol, I., Skorupa, A.L., Scialfa, J.H. and Cipolla-Neto, J.
Pineal metabolic reaction to retinal photostimulation in ganglionectomized rats (744) 77
Başkaya, M.K., Rao, A.M., Doğan, A., Donaldson, D., Gellin, G. and Dempsey, R.J.
Regional brain polyamine levels in permanent focal cerebral ischemia (744) 302
Ben-Ari, Y., see Popovici, T. (744) 185
Bernstein, S.L., Borst, D.E. and Wong, P.
Region specific mitochondrial gene expression in the human retina (744) 143
Borst, D.E., see Bernstein, S.L. (744) 143
Bouysset, F., see Vayssettes-Courchay, C. (744) 272
Brown, E.M., see Rogers, K.V. (744) 47
Butler, L., see Sanderson, K.L. (744) 7
Buxton, D.F., see Josephson, E. (744) 253
Buzdon, M., see Sullivan, K.A. (744) 199

Cassella, J.P., Lawrenson, J.G., Lawrence, L. and Firth, J.A.
Differential distribution of an endothelial barrier antigen between the pial and cortical microvessels of the rat (744) 335
Celnik, E., see McCall, A.L. (744) 318
Charriaut-Marlangue, C., see Popovici, T. (744) 185
Charron, M.J., see McCall, A.L. (744) 318
Chopp, M., see Zhang, Z. (744) 189
Christie, M.D.J., see Lin, H.Q. (744) 351
Cipolla-Neto, J., see Bartol, I. (744) 77
Contreras, R.J., see Lundy, Jr., R.F. (744) 309
Crespo, D., see Megías, M. (744) 112

Danbolt, N.C., see Lehre, K.P. (744) 129
Darnaudéry, M., see Abrous, D.N. (744) 285
Dash, R., see Maecker, H. (744) 166
Davanger, S., see Lehre, K.P. (744) 129
Dempsey, R.J., see Başkaya, M.K. (744) 302
Desai, A., see Maecker, H. (744) 166
Doğan, A., see Başkaya, M.K. (744) 302
Donaldson, D., see Başkaya, M.K. (744) 302
Drucker-Colín, R., see Durán-Vázquez, A. (744) 171
Dunn, C.K., see Rogers, K.V. (744) 47
Durán-Vázquez, A. and Drucker-Colín, R.
Differential role of dopamine receptors on motor asymmetries of nigro-striatal lesioned animals that are REM sleep deprived (744) 171

Ellinwood, E.H., see Lee, T.H. (744) 293

Feldman, E.L., see Sullivan, K.A. (744) 199
Fernández-Viadero, C., see Megías, M. (744) 112
Firth, J.A., see Cassella, J.P. (744) 335
Fleetwood-Walker, S.M., see Heppenstall, P.A. (744) 235
Fujii, K., see Sadoshima, S. (744) 246
Fujishima, M., see Sadoshima, S. (744) 246

Gabbott, P.L.A. and Bacon, S.J.
Vasoactive intestinal polypeptide containing neurones in monkey medial prefrontal cortex (mPFC): colocalisation with calretinin (744) 179
Gao, W.-Y., see Lee, T.H. (744) 293
Garyfallou, V.T., see Urbanski, H.F. (744) 96
Gellin, G., see Başkaya, M.K. (744) 302
Goiny, M., see Meana, J.J. (744) 216
Graven-Nielsen, T., Arendt-Nielsen, L., Svensson, P. and Jensen, T.S.
Stimulus–response functions in areas with experimentally induced referred muscle pain — a psychophysical study (744) 121

Han Hsu, H., see Hawkinson, J.E. (744) 227
Hanke, J., Willig, A., Yinon, U. and Jaros, P.P.
Delta and kappa opioid receptors in eyestalk ganglia of a crustacean (744) 279
Hawkinson, J.E., Huber, K.R., Sahota, P.S., Han Hsu, H., Weber, E. and Whitehouse, M.J.
The *N*-methyl-D-aspartate (NMDA) receptor glycine site antagonist ACEA 1021 does not produce pathological changes in rat brain (744) 227
Healy, D.P., see Song, L. (744) 1
Hebert, S.C., see Rogers, K.V. (744) 47
Heppenstall, P.A. and Fleetwood-Walker, S.M.
The glycine site of the NMDA receptor contributes to neurokinin$_1$ receptor agonist facilitation of NMDA receptor agonist-evoked activity in rat dorsal horn neurons (744) 235
Herrera-Marschitz, M., see Meana, J.J. (744) 216
Hess, D.L., see Urbanski, H.F. (744) 96
Hömberg, V., see Ziemann, U. (744) 32
Huang, L., see McCall, A.L. (744) 318
Huber, K.R., see Hawkinson, J.E. (744) 227

Ibayashi, S., see Sadoshima, S. (744) 246
Ikeda, H., see Suzuki, T. (744) 327
Ingram, V.M., see Sanderson, K.L. (744) 7
Inubushi, T., see Ono, Y. (744) 207
Isokawa, M.
Preservation of dendrites with the presence of reorganized mossy fiber collaterals in hippocampal dentate granule cells in patients with temporal lobe epilepsy (744) 339

Jackson, D.M., see Lin, H.Q. (744) 351
Jaros, P.P., see Hanke, J. (744) 279
Jensen, T.S., see Graven-Nielsen, T. (744) 121
Jiwa, D., see Nobrega, J.N. (744) 161
Josephson, E., Padgett, M.L. and Buxton, D.F.
The lateral and medial compartments of the olfactory tubercle and their relation to olfactory-related input as determined by artificial neural network analysis (744) 253

Karhu, J., see Tesche, C.D. (744) 23
Karom, M., see Bamshad, M. (744) 15
Kasai, T., Kawai, S., Kawanishi, M. and Yahagi, S.
Evidence for facilitation of motor evoked potentials (MEPs) induced by motor imagery (744) 147
Kawahara, S., see Tomita, A. (744) 344
Kawai, S., see Kasai, T. (744) 147
Kawanishi, M., see Kasai, T. (744) 147
Kenagy, J., VanCleave, J., Pazdernik, L. and Orr, J.A.
Stimulation of group III and IV afferent nerves from the hindlimb by thromboxane A_2 (744) 175
Kharazia, V.N., Petrusz, P., Usunoff, K., Weinberg, R.J. and Rustioni, A.
Arginine and NADPH diaphorase in the rat ventroposterior thalamic nucleus (744) 151

Kim, B., see Sullivan, K.A. (744) 199
Kirino, Y., see Tomita, A. (744) 344
Kohama, S.G., see Urbanski, H.F. (744) 96
Komiskey, H.L., see Terse, P.S. (744) 347
Korf, H.-W., see Kroeber, S. (744) 68
Kroeber, S., Schomerus, C. and Korf, H.-W.
Calcium oscillations in a subpopulation of S-antigen-immunoreactive pinealocytes of the rainbow trout (*Oncorhynchus mykiss*) (744) 68

Laubie, M., see Vayssettes-Courchay, C. (744) 272
Lawrence, L., see Cassella, J.P. (744) 335
Lawrenson, J.G., see Cassella, J.P. (744) 335
Lee, S., see Ogilvie, K.M. (744) 83
Lee, T.H., Gao, W.-Y. and Ellinwood, E.H.
Differential effects of SCH 23390 on the apomorphine subsensitivity in the substantia nigra and ventral tegmental area 1 day following withdrawal from continuous or intermittent cocaine pretreatment (744) 293
Lehre, K.P., Davanger, S. and Danbolt, N.C.
Localization of the glutamate transporter protein GLAST in rat retina (744) 129
Le Moal, M., see Abrous, D.N. (744) 285
Lin, H.Q., Jackson, D.M., Atrens, D.M., Christie, M.D.J. and McGregor, I.S.
Serotonergic modulation of 3,4-methylenedioxymethamphetamine (MDMA)-elicited reduction of response rate but not rewarding threshold in accumbal self-stimulation (744) 351
Löscher, W., see Nobrega, J.N. (744) 161
Lundy, Jr., R.F. and Contreras, R.J.
Temperature and amiloride alter taste nerve responses to Na^+, K^+, and NH_4^+ salts in rats (744) 309

Maecker, H., Desai, A., Dash, R., Rivier, J., Vale, W. and Sapolsky, R.
Astressin, a novel and potent CRF antagonist, is neuroprotective in the hippocampus when administered after a seizure (744) 166
Mancuso, A., see Tokumitsu, T. (744) 57
Margaill, I., see Popovici, T. (744) 185
Maudsley, A.A., see Tokumitsu, T. (744) 57
Mayo, W., see Abrous, D.N. (744) 285
McCall, A.L., Van Bueren, A.M., Huang, L., Stenbit, A., Celnik, E. and Charron, M.J.
Forebrain endothelium expresses GLUT4, the insulin-responsive glucose transporter (744) 318
McGregor, I.S., see Lin, H.Q. (744) 351
Meana, J.J., Herrera-Marschitz, M., Goiny, M. and Silveira, R.
Modulation of catecholamine release by α_2-adrenoceptors and I_1-imidazoline receptors in rat brain (744) 216
Megías, M., Verduga, R., Fernández-Viadero, C. and Crespo, D.
Neurons co-localizing calretinin immunoreactivity and reduced nicotinamide adenine dinucleotide phosphate diaphorase (NADPH-d) activity in the hippocampus and dentate gyrus of the rat (744) 112
Miller, J.J., see Schurr, A. (744) 105
Misawa, M., see Suzuki, T. (744) 327
Montaron, M.F., see Abrous, D.N. (744) 285
Mori, T., see Suzuki, T. (744) 327
Morikawa, S., see Ono, Y. (744) 207

Nagao, T., see Sadoshima, S. (744) 246
Nagase, H., see Suzuki, T. (744) 327
Naruse, S., see Tokumitsu, T. (744) 57
Netz, J., see Ziemann, U. (744) 32
Ninfali, P., Aluigi, G., Balduini, W. and Pompella, A.
Glucose-6-phosphate dehydrogenase activity is higher in the olfactory bulb than in other brain areas (744) 138
Nishikawa, T., see Yoshida, Y. (744) 156
Nobrega, J.N., Richter, A., Jiwa, D., Raymond, R. and Löscher, W.
Alterations in *N*-methyl-D-aspartate receptor binding in dystonic hamster brains (744) 161

Ogilvie, K.M., Lee, S. and Rivier, C.
Role of arginine vasopressin and corticotropin-releasing factor in mediating alcohol-induced adrenocorticotropin and vasopressin secretion in male rats bearing lesions of the paraventricular nuclei (744) 83
Okada, Y., see Sadoshima, S. (744) 246
Ono, Y., Morikawa, S., Inubushi, T., Shimizu, H. and Yoshimoto, T.
T2*-weighted magnetic resonance imaging of cerebrovascular reactivity in rat reversible focal cerebral ischemia (744) 207
Orr, J.A., see Kenagy, J. (744) 175

Padgett, M.L., see Josephson, E. (744) 253
Pallier, P., see Bamshad, M. (744) 15
Payne, R.S., see Schurr, A. (744) 105
Pazdernik, L., see Kenagy, J. (744) 175
Peter, Y., see Pick, C.G. (744) 41
Petrusz, P., see Kharazia, V.N. (744) 151
Petry, K.G., see Abrous, D.N. (744) 285
Pick, C.G., Peter, Y., Schreiber, S. and Weizman, R.
Pharmacological characterization of buprenorphine, a mixed agonist–antagonist with κ_3 analgesia (744) 41
Plotkine, M., see Popovici, T. (744) 185
Pompella, A., see Ninfali, P. (744) 138
Popovici, T., Margaill, I., Plotkine, M., Ben-Ari, Y. and Charriaut-Marlangue, C.
Down-regulation of striatal enkephalinergic (PPA) messenger RNA without prior apoptotic features following reversible focal ischemia in rat (744) 185
Powers, C., see Zhang, Z. (744) 189

Rao, A.M., see Başkaya, M.K. (744) 302
Raymond, R., see Nobrega, J.N. (744) 161
Richter, A., see Nobrega, J.N. (744) 161
Rigor, B.M., see Schurr, A. (744) 105
Rivier, C., see Ogilvie, K.M. (744) 83
Rivier, J., see Maecker, H. (744) 166
Rogers, K.V., Dunn, C.K., Hebert, S.C. and Brown, E.M.
Localization of calcium receptor mRNA in the adult rat central nervous system by in situ hybridization (744) 47
Rougon, G., see Abrous, D.N. (744) 285
Rustioni, A., see Kharazia, V.N. (744) 151

Sadoshima, S., Nagao, T., Okada, Y., Fujii, K., Ibayashi, S. and Fujishima, M.
L-Arginine ameliorates recirculation and metabolic derangement in brain ischemia in hypertensive rats (744) 246
Sahota, P.S., see Hawkinson, J.E. (744) 227
Sanderson, K.L., Butler, L. and Ingram, V.M.
Aggregates of a β-amyloid peptide are required to induce calcium currents in neuron-like human teratocarcinoma cells: relation to Alzheimer's disease (744) 7
Sapolsky, R., see Maecker, H. (744) 166
Schomerus, C., see Kroeber, S. (744) 68
Schreiber, S., see Pick, C.G. (744) 41
Schurr, A., Payne, R.S., Miller, J.J. and Rigor, B.M.
Brain lactate, not glucose, fuels the recovery of synaptic function from hypoxia upon reoxygenation: an in vitro study (744) 105
Scialfa, J.H., see Bartol, I. (744) 77
Shimizu, H., see Ono, Y. (744) 207
Shimizu, H., see Tomita, A. (744) 344
Silveira, R., see Meana, J.J. (744) 216
Skorupa, A.L., see Bartol, I. (744) 77
Song, L., Wilk, S. and Healy, D.P.
Aminopeptidase A antiserum inhibits intracerebroventricular angiotensin II-induced dipsogenic and pressor responses (744) 1
Stenbit, A., see McCall, A.L. (744) 318
Sullivan, K.A., Kim, B., Buzdon, M. and Feldman, E.L.
Suramin disrupts insulin-like growth factor-II (IGF-II) mediated autocrine growth in human SH-SY5Y neuroblastoma cells (744) 199
Suzuki, T., Tsuji, M., Mori, T., Ikeda, H., Misawa, M. and Nagase, H.
Involvement of dopamine-dependent and -independent mechanisms in the rewarding effects mediated by δ opioid receptor subtypes in mice (744) 327
Svensson, P., see Graven-Nielsen, T. (744) 121

Takahashi, K., see Yoshida, Y. (744) 156
Tergau, F., see Ziemann, U. (744) 32
Terse, P.S. and Komiskey, H.L.
Modulation of a competitive *N*-methyl-D-aspartate receptor antagonist binding by zinc oxide (744) 347
Tesche, C.D. and Karhu, J.
Somatosensory evoked magnetic fields arising from sources in the human cerebellum (744) 23
Tokumitsu, T., Mancuso, A., Weinstein, P.R., Weiner, M.W., Naruse, S. and Maudsley, A.A.
Metabolic and pathological effects of temporal lobe epilepsy in rat brain detected by proton spectroscopy and imaging (744) 57
Tomita, A., Yoshida, S., Yano, M., Kirino, Y., Kawahara, S. and Shimizu, H.
Removal after addition of NO-generating agents and 8-bromo-cyclic GMP causes morphological change of cultured cerebellar astrocytes: a new mode of NO action (744) 344
Tsuji, M., see Suzuki, T. (744) 327

Umino, A., see Yoshida, Y. (744) 156
Urbanski, H.F., Garyfallou, V.T., Kohama, S.G. and Hess, D.L.
α-Adrenergic receptor antagonism and *N*-methyl-D-aspartate (NMDA) induced luteinizing hormone release in female rhesus macaques (744) 96
Usunoff, K., see Kharazia, V.N. (744) 151

Vale, W., see Maecker, H. (744) 166
Van Bueren, A.M., see McCall, A.L. (744) 318
VanCleave, J., see Kenagy, J. (744) 175
Vayssettes-Courchay, C., Bouysset, F., Laubie, M. and Verbeuren, T.J.
Central integration of the Bezold-Jarish reflex in the cat (744) 272
Verbeuren, T.J., see Vayssettes-Courchay, C. (744) 272
Verduga, R., see Megías, M. (744) 112

Weber, E., see Hawkinson, J.E. (744) 227
Weinberg, R.J., see Kharazia, V.N. (744) 151
Weiner, M.W., see Tokumitsu, T. (744) 57
Weinstein, P.R., see Tokumitsu, T. (744) 57
Weizman, R., see Pick, C.G. (744) 41
Whitehouse, M.J., see Hawkinson, J.E. (744) 227
Wilk, S., see Song, L. (744) 1
Willig, A., see Hanke, J. (744) 279
Wong, P., see Bernstein, S.L. (744) 143

Yahagi, S., see Kasai, T. (744) 147
Yano, M., see Tomita, A. (744) 344
Yinon, U., see Hanke, J. (744) 279
Yoshida, S., see Tomita, A. (744) 344
Yoshida, Y., Umino, A., Takahashi, K. and Nishikawa, T.
Evidence for *N*-methyl-D-aspartate receptor-mediated increase in norepinephrine utilization in the prefrontal cortex of unanesthetized rats (744) 156
Yoshimoto, T., see Ono, Y. (744) 207

Zhang, Z., Chopp, M. and Powers, C.
Temporal profile of microglial response following transient (2 h) middle cerebral artery occlusion (744) 189
Ziemann, U., Tergau, F., Netz, J. and Hömberg, V.
Delay in simple reaction time after focal transcranial magnetic stimulation of the human brain occurs at the final motor output stage (744) 32